



Material Safety Data Sheet

Section 1 – Product and Company Information

Product Name: Tru-Shimmer

Emergency Telephone Number:
InfoTrac: 800-535-5053

Manufacturer: Architectural Enhancements
475 Annandale Blvd
PO Box 1124
Annandale, MN 55302

Telephone Number for Information:
320-274-6909

Date Prepared: 2/2/08

Signature of Preparer: Will Christenson

The Information below is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Section 2 – Hazardous Ingredients

Compound	CAS #	OSHA PEL Total	ACGIH TLV TWA
Mica (with crystalline silica)	12001-26-2	3mg/m ³	3 mg/m ³
May contain one or more of the following:			
Iron Oxide	1309-37-1		5mg/m ³
Basic Red 1	989-38-8	Not Available	
Titanium Dioxide	13463-67-7	15 mg/m ³	10 mg/m ³

Section 3 – Physical/Chemical Characteristics

Boiling Point: Not Available

Specific Gravity: Not Available

Vapor Pressure: Not Available

Melting Point: Not Available

Vapor Density: Not Available

Evaporation Rate: Not Available

Solubility in Water: Insoluble

Appearance and odor: Odorless powder of various colors.

Section 4 – Fire and Explosion Hazard Data

Flash Point: None

Flammable Limits: LEL, None

UEL, None

Extinguishing Media: In case of fire use water spray, foam, dry chemical, or CO₂.

Special Fire Fighting Procedures: Use water spray to cool fore-exposed containers. Firefighters should be equipped with self-contained breathing apparatus and protective clothing.

Unusual Fire & Explosion Hazards: Dusts, when mixed with the right proportions of air and in a source of ignition, have the potential to be explosive.

Section 5 – Reactivity Data

Stability/Instability: Stable under normal conditions.

Conditions to Avoid: None.

Incompatible Materials: Oxidizing and reducing agents may destroy color.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, oxides of nitrogen, sulfur, and other potentially toxic fumes.

Polymerization: Product will not undergo polymerization.

Section 6 – Health Hazard Data

Potential health effects: Eye contact: May be an irritant.

Skin contact: May be an irritant.

Inhalation: May be a lung irritant

Ingestion: Not an intended route of exposure.

General: Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

First aid measures: Eye contact: Flush thoroughly with water for at least 15 minutes. Get medical attention.

Skin contact: Wash with soap and water or use waterless hand cleaners. Do not use solvents or thinners to clean skin. Get medical attention if irritation persists.

Inhalation: Should symptoms develop, remove victim to fresh air. If breathing is difficult, qualified personnel may administer oxygen. If victim is not breathing start artificial respiration. Get medical attention.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical professional. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician. Get medical attention.

Section 7 – Precautions for Safe Handling and Use

In case of spill: Spills should be swept up and placed in containers. Spill areas can be washed with water; collect waste water for approved disposal method. Obey relevant local, state, provincial, and federal laws and regulations.

Handling: In accordance with good industrial practices, handle with care to avoid contact.

Storage: Keep away from heat. Keep containers tightly closed.

Section 8 – Control Measures

Eye Protection: Safety glasses with side shields.

Skin Protection: Rubber gloves.

Respiratory Protection (Specific Type): Avoid the inhalation of dusts. Respiratory protection meeting OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant a respirator use.

Ventilation Recommended: Use adequate ventilation.

Other Protection: Keep skin covered. Wash hands after using.