



## Material Safety Data Sheet

### Section 1 – Product and Company Information

Product Name: Tru-Peel

Emergency Telephone Number:  
InfoTrac: 800-535-5053

Manufacturer: Architectural Enhancements  
475 Annandale Blvd  
PO Box 1124  
Annandale, MN 55302

Telephone Number for Information:  
320-274-6909

Date Prepared: 12/24/08

Signature of Preparer: Will Christenson

The Information below is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

### Section 2 – Hazardous Ingredients

Compound	CAS #	OSHA PEL Total	ACGIH TLV TWA
Methylisobutylketone	108-10-1	75 ppm	
Dipropylene glycolmethylether	34590-94-8	100 ppm	
Petroleum Naphtha	64742-94-5	50 ppm	

### Section 3 – Physical/Chemical Characteristics

Boiling Point: ~200 F

Specific Gravity: 1.03

Vapor Pressure: Not Available

Melting Point: Not Available

Vapor Density: >1

Evaporation Rate: <1

Solubility in Water: Soluble

pH: 11.5-12

Appearance and odor: Clear to slightly hazy pink liquid with mild odor.

### Section 4 – Fire and Explosion Hazard Data

Flash Point: None

Flammable Limits: LEL, None

UEL, None

Extinguishing Media: Same as suitable for the surrounding materials.

Special Fire Fighting Procedures: Cool fire exposed containers with water spray. Use self contained breathing apparatus to avoid any irritating flames.

Unusual Fire & Explosion Hazards: Containers exposed to high temperatures may boil over and boil off solvent fumes.

## **Section 5 – Reactivity Data**

Stability/Instability: Stable.

Conditions to Avoid: Temperature above 120 F and below freezing.

Incompatible Materials: Acids and strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide and organic vapors.

Polymerization: Product will not undergo polymerization.

## **Section 6 – Health Hazard Data**

Symptoms of Over Exposure: Eyes: Very irritating, redness, blurred vision.

Inhalation: Respiratory irritation, headache.

Skin: Mild irritant, drying.

Ingestion: Gastric upset and irritation, nausea, diarrhea.

Medical Conditions Aggravated by Exposure: NE

Primary Route(s) of Entry: Skin

Emergency First Aid: Eyes: Flush with water for 15 minutes, lifting both eyelids. If irritation persists, get medical help.

Skin: Wash off with water. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air.

Ingestion: drink two glasses of water, then induce vomiting. Get medical help. Never give anything by mouth to an unconscious person.

## **Section 7 – Precautions for Safe Handling and Use**

Spill Response: Extinguish all open flames.

Small spill: flush to sewage.

Large spill: Soak up on absorbent material and place in a sealable container.

Waste Disposal Method: Seal containers and dispose of in accordance with local and federal regulations.

## **Section 8 – Control Measures**

Eye Protection: Goggles if spraying.

Skin Protection: rubber gloves.

Respiratory Protection (Specific Type): Not required.

Ventilation Recommended: General mechanical

Other Protection: None required.

Hygienic Practices in Handling & Storage: Wash hands after handling. Do not contaminate food or feedstuff.

Precautions for Repair & Maintenance of Contaminated Equipment: Not Available.

Other Precautions: Read and observe all label precautions before using.