



Material Safety Data Sheet

Section 1 – Product and Company Information

Product Name: Tru-Strip

Emergency Telephone Number:
InfoTrac: 800-535-5053

Manufacturer: Architectural Enhancements
475 Annandale Blvd
PO Box 1124
Annandale, MN 55302

Telephone Number for Information:
320-274-6909

Date Prepared: 12/24/08

Signature of Preparer: Will Christenson

The Information below is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Section 2 – Hazardous Ingredients

Compound	CAS #	OSHA PEL Total	ACGIH TLV TWA
Methylisobutylketone	108-10-1	75 ppm	
Dipropylene glycolmethylether	34590-94-8	100 ppm	
Petroleum Naphtha	64742-94-5	25 ppm	

Section 3 – Physical/Chemical Characteristics

Boiling Point: >117 F

Specific Gravity: 0.90

Vapor Pressure: Not Available

Melting Point: Not Available

Vapor Density: >1

Evaporation Rate: ~1

Solubility in Water: Disperses

Appearance and odor: Straw colored liquid with mild solvent odor.

Section 4 – Fire and Explosion Hazard Data

Flash Point: 80 F

Flammable Limits: LEL, None

UEL, None

Extinguishing Media: Foam, water spray or fog - do not use water jet. Dry chemical, sand, or CO₂.

Special Fire Fighting Procedures: Cool fire exposed containers with water spray. Use self contained NIOSH/MSHA approved breathing apparatus to avoid any irritating flames.

Unusual Fire & Explosion Hazards: Containers exposed to high temperatures may rupture and vent flammable vapors.

Section 5 – Reactivity Data

Stability/Instability: Stable.

Conditions to Avoid: Temperature above 100 F and below freezing.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide and organic vapors.

Polymerization: Product will not undergo polymerization.

Section 6 – Health Hazard Data

Symptoms of Over Exposure: Eyes: Very irritating, redness, blurred vision.

Inhalation: Drowsiness, dizziness, coughing, difficulty breathing, narcosis.

Skin: Irritation, drying, burning sensation, defatting.

Ingestion: Burning, irritation, nausea, diarrhea.

Medical Conditions Aggravated by Exposure: NE

Primary Route(s) of Entry: Skin, Inhalation

Emergency First Aid: Eyes: Flush with water for 15 minutes, lifting both eyelids. If irritation persists, get medical help.

Skin: Wash off with water, then soap and water. If irritation develops, get medical help.

Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If difficulty breathing persists, get medical help.

Ingestion: drink two glasses of water to dilute, then get medical help. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Section 7 – Precautions for Safe Handling and Use

Spill Response: Remove all sources of flame or sparks. Ventilate the area. Soak up on absorbent material and store in a sealable container. Allow remaining solvent to evaporate with good ventilation. Flush off remaining surfactant with water. Do not allow the product to enter streams or waterways. The solvent is toxic to fish and marine life.

Waste Disposal Method: Seal containers and dispose of in approved waste disposal site as required by local and federal regulations.

Section 8 – Control Measures

Eye Protection: Goggles if spraying.

Skin Protection: wear rubber gloves.

Respiratory Protection (Specific Type): Use an approved breathing apparatus.

Ventilation Recommended: General mechanical

Other Protection: Apron if splashing occurs.

Hygienic Practices in Handling & Storage: Wash hands after handling. Do not contaminate food or feedstuff.

Precautions for Repair & Maintenance of Contaminated Equipment: Rinse thoroughly with water before handling.

Other Precautions: Store in original sealed container only. Read and observe all label precautions before using.