



Material Safety Data Sheet

Section 1 – Product and Company Information

Product Name: WB UreGuard Gloss

Emergency Telephone Number:
InfoTrac: 800-535-5053

Manufacturer: Architectural Enhancements
475 Annandale Blvd
PO Box 1124
Annandale, MN 55302

Telephone Number for Information:
320-274-6909

Date Prepared: 12/24/08

Signature of Preparer: Will Christenson

The Information below is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Section 2 – Hazardous Ingredients

Compound	CAS #	OSHA PEL Total	ACGIH TLV TWA
N-Methyl-2-Pyrrolidone	872-50-4		100 ppm
N,N-Dimethylethanolamine	108-01-0		5 ppm
Dipropylene Glycol Methyl Ether	34590-94-8		100 ppm

Section 3 – Physical/Chemical Characteristics

Boiling Point: >192 F

Specific Gravity: 1.06

Vapor Pressure: 4 mm @ 68 F

Melting Point: 32 F

Vapor Density: Heavier than air

Evaporation Rate: Not Available

Solubility in Water: Soluble

Appearance and odor: Hazy liquid, amine odor.

Section 4 – Fire and Explosion Hazard Data

Flash Point: >200 F

Flammable Limits: LEL, None

UEL, None

Extinguishing Media: Use water fog, carbon dioxide, or foam.

Special Fire Fighting Procedures: Wear self-contained positive pressure breathing apparatus, and full protective gear. Containers can build up pressure if exposed to heat. Cool with water spray..

Unusual Fire & Explosion Hazards: None known.

Section 5 – Reactivity Data

Stability/Instability: Stable under normal conditions.

Conditions to Avoid: High temperatures.

Incompatible Materials: Acids, bases, and oxidizing materials.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, nitrogen compounds.

Polymerization: Not Available.

Section 6 – Health Hazard Data

Potential health effects: Eye contact: Severe eye irritation.

Skin contact: Irritation of skin.

Inhalation: Irritation of respiratory tract.

Ingestion: May be harmful if swallowed.

General: Repeated skin contact may cause a persistent irritation or dermatitis.

Emergency First Aid: Skin Contact: Wash with soap and water or use waterless hand cleaners. Do not use solvents or thinners to clean the skin.. Get medical attention.

Eye Contact: flush thoroughly with water for at least fifteen minutes while holding eyelids open. Get immediate medical attention.

Inhalation: Should symptoms develop, remove to fresh air. If breathing is difficult, qualified personnel may administer oxygen. If breathing stopped, give artificial respiration. Get immediate medical attention.

Ingestion: Get medical attention.

Section 7 – Precautions for Safe Handling and Use

In case of spill: Ventilate area. Absorb into sand or other absorbent material. Shovel into closeable container for disposal. For large spills, dike area and pump into closeable container. Prevent material from entering waterways. Avoid contact with material, wear suitable protective clothing.

Handling: Avoid all personal contact: Use personal protective equipment. Use adequate ventilation. For industrial use only.

Storage: Keep away from heat. Keep containers tightly closed.

Section 8 – Control Measures

Eye Protection: Chemical splash goggles.

Skin Protection: Impermeable gloves.

Respiratory Protection (Specific Type): Respiratory protection meeting OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant a respirator use.

Ventilation Recommended: Use adequate ventilation.

Other Protection: Wear protective apron if splashing or repeated contact is likely.